



PrePress

- „Colormangement“ in the workflow-system **disabled** when exposing the pressSETUP testform
- pressSETUP printing form is exposed **without** colormangement in RIP
- CTP-System is exposing **linear** (50% raster tone value equals 50% on the printing plate)
- Random raster tone value measurments are taken on the respective printing plates (25% -> 25%; 50% -> 50%; and so on.)
- pressSETUP testform is exposed with **production raster/ -rasterform/ -rasterwidth**

signature _____

Press

- Automatic ink zone settings **disabled** on press (CIP3 PPF / CIP4 JDF: off)
- Automatic zone setting in measuring system **disabled** (Online-measuring: off)
- Recommended **wet density value** is set in the centre of the sheet using the production measuring system (density values of earlier productions or from manufacturer)
- All ink keys are set to the **same** value as the centre value over the width of the printing sheet
- Wet densities** are measured with production measuring device and documented
- Filling out of **Optional Information | Notes** on the pressSETUP sheet recommended

signature _____

